



012

CERTIFICATE OF REGISTRATION

This is to certify that the Building Insulation Product known as

TRISO SUPER 10+

manufactured by

ACTIS SA

30 Avenue de Catalogne
11300 Limoux
France

and distributed in the UK by

ACTIS INSULATION Ltd

Unit 2a Cornbrash Park, Bumpers Way
Bumpers Farm Industrial Estate
Chippenham
Wiltshire
SN14 6RA

has been assessed in accordance with the BM TRADA Building Insulation Products Scheme, including in-situ testing in accordance with TRADA Technology Ltd test protocol BIP-001, for use in roof construction and has an in-situ thermal insulation performance equivalent to 210mm of mineral wool. *TRISO SUPER 10+ is registered within the BM TRADA Certification Scheme for

Building Insulation Products

*The mineral wool used to establish equivalence conforms to EN 13162, has a declared thermal conductivity of 0.04W/mK and 210mm of this mineral wool has a declared R value of 5.25m²K/W. The thermal performance equivalence is between the two tested roof structures, and includes all the associated heat losses, such as thermal properties of the materials, air leakage and thermal bridging, the structures being designed with realistic and identical air tightness and fractional timber surface area to ensure that the results of the test are representative of commonly used roof structures.

The validity of this certificate is dependent on the adherence to the conditions laid down in the accompanying Q-Mark Schedule. The Q-Mark Schedule is an integral part of this certificate. As a Scheme member the Company agrees to maintain the fabrication and design of its

TRISO SUPER 10+ product in accordance with the BM TRADA Scheme requirements and to use the Q-Mark in accordance with the Scheme Requirements.

Robert Veitch
Executive Vice President Fire & Building Products
Element Materials Technology

Certificate Number

BIPS-0104

Date of Initial Certification

25 October 2011

Date of Last Issue

7 January 2021

Date of Expiry

23 October 2021